				<u>-</u>
L Number	Hits	Search Text	DB	Time stamp
1	1713	"bar code" and "unique identifier"	USPAT; US-PGPUB;	2004/06/01
	1.0		EPO; JPO; DERWENT	:
2	12	("bar code" and "unique identifier") and "inspection station"	USPAT; US-PGPUB; EPO; JPO;	2004/06/01
 =	274	"reason code" and available and status and machine	DERWENT USPAT;	2003/05/19
· 		and machine	US-PGPUB; EPO; JPO; DERWENT	10:36
-	52	("reason code" and available and status and machine) and manufacturing	USPAT; US-PGPUB; EPO; JPO;	2003/05/19 10:41
_	6	reason and offline and non-available	DERWENT USPAT; US-PGPUB;	2003/05/19
_	146	manufacturing and status and online and	EPO; JPO; DERWENT USPAT;	2003/05/19
	140	offline and reason	US-PGPUB; EPO; JPO;	10:43
-	10	manufacturing and "machine status" and online and offline and reason	DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/05/19 10:59
_	160	manufacturing and "machine status" and reason	DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/05/19
_	0	manufacturing and ("machine status" near reason)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/05/19
: . -	0	"machine status" near reason	DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/05/19
- - 	o	"machine status" and reason and manufacturingt	DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/05/19
- .	160	"machine status" and reason and manufacturing	DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/05/19
-	11	"machine status" and reason and manufacturing and offline	DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/05/19 11:14
-	6	"reason database" and manufacturing	DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/05/19
-	92	manufacturing and "available status"	DERWENT USPAT; US-PGPUB;	2003/05/19 11:15
-	34	manufacturing and "available status" and defects and errors	EPO; JPO; DERWENT USPAT; US-PGPUB;	2003/05/19
_	99	manufacturing and "reason codes"	EPO; JPO; DERWENT USPAT;	2003/05/19
			US-PGPUB; EPO; JPO; DERWENT	11:28

	,			<u> </u>
_	71	manufacturing and "reason codes" and	USPAT;	2003/05/20
		machine	US-PGPUB;	12:36
			EPO; JPO;	
			DERWENT	
-	6	manufacturing and "reason database"	USPAT;	2003/05/20
			US-PGPUB;	12:37
			EPO; JPO;	
			DERWENT	
_	l · o	avaialable and non-available	USPAT;	2003/05/20
			US-PGPUB;	12:37
			EPO; JPO;	12.37
	}		DERWENT	
_	225	"non-available"	USPAT;	2003/05/20
-	223	Hon-available	US-PGPUB;	12:37
				12.37
	ŀ		EPO; JPO;	
	_ ر	Number of Salahan and attacks	DERWENT	2002/05/20
-	95	"non-available" and status	USPAT;	2003/05/20
			US-PGPUB;	12:38
			EPO; JPO;	
			DERWENT	
-	72	"reason database"	USPAT;	2003/05/20
			US-PGPUB;	12:39
			EPO; JPO;	· ·
	1		DERWENT	
-	72	reason adj database	USPAT;	2003/05/20
	1		US-PGPUB;	12:39
			EPO; JPO;	
			DERWENT	
_	218	manufacturing and online and offline and	USPAT;	2003/05/20
1	210	status	US-PGPUB;	12:40
		Scacus	EPO; JPO;	12.30
			DERWENT	
	1.65	/manufacturing and anline and affline and		2002/05/20
-	165	(manufacturing and online and offline and	USPAT;	2003/05/20
		status) and database	US-PGPUB;	13:09
			EPO; JPO;	1
			DERWENT	
-	134	((manufacturing and online and offline	USPAT;	2003/05/20
	İ	and status) and database) and machine	US-PGPUB;	13:13
			EPO; JPO;	
			DERWENT	<u> </u>
-	1721	"checking status"	USPAT;	2003/05/20
			US-PGPUB;	13:16
			EPO; JPO;	
			DERWENT	
-	195038	manufacturing and machine	USPAT;	2003/05/20
1			US-PGPUB;	13:14
1	1		EPO; JPO;	
			DERWENT	
_	115	"checking status" and (manufacturing and	USPAT;	2003/05/20
	113	machine)	US-PGPUB;	13:14
	1	(machine)		13.17
			EPO; JPO;	<u>.</u>
	[Wahaali ahahiia!!	DERWENT	2002/05/20
-	5133	"check status"	USPAT;	2003/05/20
			US-PGPUB;	13:16
	1		EPO; JPO;	
	1		DERWENT	
-	27		USPAT;	2003/05/20
	1	machine)) and "check status"	US-PGPUB;	13:18
	1		EPO; JPO;	·
	İ		DERWENT	
-	1142	"status code" and reason	USPAT;	2003/05/20
	·		US-PGPUB;	13:18
			EPO; JPO;	,
			DERWENT	
-	229	("status code" and reason) and	USPAT;	2003/05/20
	~~~	manufacturing	US-PGPUB;	13:18
			EPO; JPO;	10.10
l _	165	(("status code" and reason) and	DERWENT	2002/05/20
1-	105		USPAT;	2003/05/20
		manufacturing) and machine	US-PGPUB;	14:10
			EPO; JPO;	
L	<u> </u>		DERWENT	

		700/100	Transm.	2002/05/22
-	242	manufacturing and 702/182	USPAT;	2003/05/20
			US-PGPUB; EPO; JPO;	14:18
			DERWENT	
_	18	(manufacturing and 702/182) and status	USPAT;	2003/05/20
		and flag	US-PGPUB;	14:21
	1		EPO; JPO;	
			DERWENT	· .
-	10	(manufacturing and 702/182) and status	USPAT;	2003/05/20
		and flag and database	US-PGPUB;	14:22
			EPO; JPO;	
1_	13	   "status flag" and manufacturing and	DERWENT USPAT;	2003/05/20
-	13	machine and offline	US-PGPUB;	14:25
		indefilite did official	EPO; JPO;	
			DERWENT	:
-	18	705/8 and "status flag"	USPAT;	2003/05/20
		-	US-PGPUB;	14:46
			EPO; JPO;	:
	_		DERWENT	
-	8	(705/8 and "status flag") and reason	USPAT;	2003/05/20
			US-PGPUB;	14:48
			EPO; JPO; DERWENT	·
_	714	"reason code"	USPAT;	2003/05/20
1	'11		US-PGPUB;	14:48
1			EPO; JPO;	
			DERWENT	
-	0	"reason code" near machine	USPAT;	2003/05/20
			US-PGPUB;	14:48
			EPO; JPO;	
		W	DERWENT	2002/05/20
_	0	"reason flag" near machine	USPAT;	2003/05/20 14:48
			US-PGPUB; EPO; JPO;	14:48
			DERWENT	
_	71	"reason flag"	USPAT;	2003/05/20
			US-PGPUB;	14:50
			EPO; JPO;	
			DERWENT	
-	0	"reason for downtime"	USPAT;	2003/05/20
			US-PGPUB;	14:51
			EPO; JPO;	·
_	14	"reason downtime"	DERWENT USPAT;	2003/05/20
	]	leason downtrike	US-PGPUB;	16:36
	ĺ		EPO; JPO;	
			DERWENT	
-	4	"6144893"	USPAT;	2003/05/20
			US-PGPUB;	16:58
			EPO; JPO;	·
1	645		DERWENT	2002/05/20
-	645	"available status"	USPAT; US-PGPUB;	2003/05/20 16:58
1			EPO; JPO;	10,00
			DERWENT	
-	69	"available status" and machine and	USPAT;	2003/05/20
1		manufacturing	US-PGPUB;	17:01
			EPO; JPO;	
			DERWENT	
-	146	"available status" and machine and idle	USPAT;	2003/05/20
			US-PGPUB;	17:02
			EPO; JPO; DERWENT	
_	71	"available status" and machine and idle	USPAT;	2003/05/20
1	'1	and 700/	US-PGPUB;	17:06
			EPO; JPO;	
			DERWENT	
-	0	status near idle near WIP	USPAT;	2003/05/20
			US-PGPUB;	17:06
1			EPO; JPO;	
1	l		DERWENT	1

-	1255	status near idle	USPAT;	2003/05/20
			US-PGPUB;	17:07
			EPO; JPO;	<u> </u>
			DERWENT	
_	86	(status near idle) and statuses	USPAT;	2003/05/20
	}		US-PGPUB;	17:07
			EPO; JPO;	
			DERWENT	
_	1	(status near idle) near available	USPAT;	2003/05/20
	_	(	US-PGPUB;	17:07
			EPO; JPO;	
			DERWENT	:
1_	34	(status near idle) and manufacturing and	USPAT;	2003/05/20
	34	controller	US-PGPUB;	17:08
		Controller	EPO; JPO;	17.00
	ر ا	   "available status" near machine	DERWENT	2002/05/20
-	3	"available status" near machine	USPAT;	2003/05/20 :
			US-PGPUB;	17:09
			EPO; JPO;	
			DERWENT	
-	0		USPAT;	2003/05/20
	•	and online	US-PGPUB;	17:10
1			EPO; JPO;	·
			DERWENT	
-	5188	wire and winding and mandrel	USPAT;	2003/07/09
		,	US-PGPUB;	14:16
			EPO; JPO;	- · - ·
			DERWENT	
I _	486	wire and winding and mandrel and dual	USPAT;	2003/07/09
	300	wife and winding and mandrer and duar	US-PGPUB;	14:19
				14.19
			EPO; JPO;	
	450		DERWENT	0000/07/00
-	452	, , ,	USPAT;	2003/07/09
		traverse	US-PGPUB;	14:19
			EPO; JPO;	]
			DERWENT	
-	102	((wire and winding and mandrel) and	USPAT;	2003/07/09
		traverse) and data	US-PGPUB;	14:19
			EPO; JPO;	
			DERWENT	į į
-	104	((wire and winding and mandrel) and	USPAT;	2003/07/09
	•	traverse) and controller	US-PGPUB;	14:19
			EPO; JPO;	
			DERWENT	
1_	28	(((wire and winding and mandrel) and	USPAT;	2003/07/09
		traverse) and data) and command	US-PGPUB;	14:20
1		Stavetbe, and data, and continuing	EPO; JPO;	
			DERWENT	] :
1_	4	"5499775"		2003/07/09
1	4	J433113 	USPAT;	
[			US-PGPUB;	14:22
			EPO; JPO;	·
1		l , , , , , , , , , , , , , , , , , , ,	DERWENT	
-	646		USPAT;	2003/07/09
		network and wireless and bluetooth	US-PGPUB;	14:47
			EPO; JPO;	
1			DERWENT	·
-	7	\=	USPAT;	2003/07/09
		network and wireless and bluetooth) and	US-PGPUB;	14:48
1		"IEEE 802"	EPO; JPO;	
İ	į		DERWENT	
-	2	(remote and controller and machine and	USPAT;	2003/07/09
		network and wireless and bluetooth) and	US-PGPUB;	15:05
		winding	EPO; JPO;	
-		··	DERWENT	· · · · · · · · · · · · · · · · · · ·
1_	2	"portable operator console"	USPAT;	2003/07/09
	4	horeante oberacot compore		
			US-PGPUB;	15:07
1			EPO; JPO;	·
		l	DERWENT	0000/07/05
-	227	portable and bluetooth and controller and	USPAT;	2003/07/09
		interface and keypad	US-PGPUB;	15:08
			EPO; JPO;	
			DERWENT	

<u></u>				T 0000 (05 (55	
-	99	EWMA	USPAT; US-PGPUB;	2003/07/30 15:48	
			EPO; JPO;	13.40	
			DERWENT		
-	13	EWMA and "cycle time"	USPAT;	2003/07/30	
			US-PGPUB;	15:55	
			EPO; JPO;	İ	:
_	16	choose and EWMA	DERWENT	2003/07/30	:
-	10	choose and EwMA	USPAT; US-PGPUB;	15:56	.
		, in the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second	EPO; JPO;	13.30	
			DERWENT		.
-	1	choose near EWMA	USPAT;	2003/07/30	
			US-PGPUB;	15:57	
			EPO; JPO;	1	
_	145	   "exponentially weighted moving average"	DERWENT USPAT;	2003/07/30	•
-	143	exponentially weighted moving average	US-PGPUB;	15:57	;
			EPO; JPO;	120.07	:
			DERWENT		
-	0	"exponentially weighted moving average"	USPAT;	2003/07/30	
1		near choose	US-PGPUB;	15:57	
			EPO; JPO;		
1_	95	"exponentially weighted moving average"	DERWENT USPAT;	2003/07/31	.
1	, , ,	and calculation	US-PGPUB;	09:55	
			EPO; JPO;		
1	1		DERWENT		
-	1	SALSA and vwip	USPAT;	2003/07/31	
			US-PGPUB;	10:07	:
			EPO; JPO;		
_	79	x-factors	DERWENT USPAT;	2003/07/31	
	'9	. 1400013	US-PGPUB;	10:07	
			EPO; JPO;		· [
			DERWENT		
-	51	x-factors and data	USPAT;	2003/07/31	.
			US-PGPUB;	10:07	
			EPO; JPO; DERWENT		
-	1	salsa and vwip	USPAT;	2003/07/31	:
	_		US-PGPUB;	11:13	.
			EPO; JPO;	1	
			DERWENT		
-	10	5,880,960	USPAT;	2003/07/31	
			US-PGPUB; EPO; JPO;	11:13	
			DERWENT		
-	24	"5937388"	USPAT;	2003/12/29	
			US-PGPUB;	17:14	
			EPO; JPO;		ا ا
1		H2230061H	DERWENT	0000/00/00	
-	40	"5530861"	USPAT;	2003/12/29	:
			US-PGPUB; EPO; JPO;	17:14	
1			DERWENT		-
-	81	allocat\$4 and "manufacturing capacity"	USPAT;	2004/03/09	- 1
			US-PGPUB;	15:03	
1			EPO; JPO;		
	001505	"	DERWENT	0004/00/05	
-	231301	"optical fiber"	USPAT;	2004/03/09	
			US-PGPUB; EPO; JPO;	15:04	İ
			DERWENT		
-	15030	"optical fiber" and heating and end	USPAT;	2004/03/09	.
			US-PGPUB;	15:04	
			EPO; JPO;		
			DERWENT		l
-	390	("optical fiber" and heating and end) and	USPAT;	2004/03/09	
1		hemispherical	US-PGPUB;	15:04	
			EPO; JPO; DERWENT		
L	l	<u> </u>	DEVMENT.	<u> </u>	

				<del> · _ · _ · _ · _ · _ · _ · _ · _ · </del>
-	220	1 ' ' -	USPAT;	2004/03/09
		and hemispherical) and radius	US-PGPUB;	15:17
1			EPO; JPO;	· ·
			DERWENT	
-	82		USPAT;	2004/03/09
		and hemispherical) and radius) and 700/	US-PGPUB;	15:20
			EPO; JPO;	
	,	00/004000	DERWENT	2004/02/00
_	1	09/884988	USPAT;	2004/03/09
			US-PGPUB;	15:21
			EPO; JPO; DERWENT	<u> </u>
	542	optical fiber" and heat and		2004/03/09
_	342	optical liber and heat and   hemispherical	USPAT;	15:26
		Hemrspherical	US-PGPUB; EPO; JPO;	15:26
	ĺ		DERWENT	
_	62	("optical fiber" and heat and	USPAT;	2004/03/10
	02	hemispherical) and "end face"	US-PGPUB;	12:47
		nemispherical, and end race	EPO; JPO;	12.47
			DERWENT	
_	3	musicmaker	USPAT;	2004/03/10
			US-PGPUB;	12:47
			EPO; JPO;	
			DERWENT	
1 -	0	"pierre tager"	USPAT;	2004/03/10
			US-PGPUB;	12:48
			EPO; JPO;	
			DERWENT	
-	18	"music connection"	USPAT;	2004/03/10
			US-PGPUB;	15:37
			EPO; JPO;	
			DERWENT	·
-	413	optimize and curvature and spherical and	USPAT;	2004/03/10
		surface and "optical fiber"	US-PGPUB;	15:38
			EPO; JPO;	
-			DERWENT	
-	153	(optimize and curvature and spherical and	USPAT;	2004/03/10
		surface and "optical fiber") and camera	US-PGPUB;	16:11
			EPO; JPO;	
			DERWENT	
-	1	((optimize and curvature and spherical	USPAT;	2004/03/10
		and surface and "optical fiber") and	US-PGPUB;	16:12
		camera) and "gaseous hydrogen"	EPO; JPO;	
_	72	  curvature and "gaseous hydrogen"	DERWENT	2004/03/10
	/3	curvature and gaseous nydrogen	USPAT;	
			US-PGPUB; EPO; JPO;	16:12
			DERWENT	
_	30	   (curvature and "gaseous hydrogen") and	USPAT;	2004/03/10
		"optical"	US-PGPUB;	16:13
		-F	EPO; JPO;	
			DERWENT	
-	136	"optical fiber" and "tip shape"	USPAT;	2004/03/10
			US-PGPUB;	16:30
1			EPO; JPO;	
			DERWENT	:
-	53	("optical fiber" and "tip shape") and	USPAT;	2004/03/10
	į .	radius	US-PGPUB;	16:14
			EPO; JPO;	
			DERWENT	·
-	195	"optical fiber" and "end shape"	USPAT;	2004/03/10
			US-PGPUB;	16:28
			EPO; JPO;	·
			DERWENT	
-	36	("optical fiber" and "end shape") and	USPAT;	2004/03/10
		radius	US-PGPUB;	16:29
			EPO; JPO;	
	4500	Hanking Strank and A. A.	DERWENT	
_	4508	"optical fiber" and breaking	USPAT;	2004/03/10
			US-PGPUB;	16:30
			EPO; JPO;	·
			DERWENT	

				<u> </u>
-	363	"optical fiber" near breaking	USPAT;	2004/03/10
			US-PGPUB;	16:32
			EPO; JPO;	
_	0	("optical fiber" near breaking) and	DERWENT USPAT;	2004/03/10
	0	"pulling source"	US-PGPUB;	16:32
ļ			EPO; JPO;	
			DERWENT	
1 -	54	, ` <u> </u>	USPAT;	2004/03/10
		pulling	US-PGPUB;	16:34
			EPO; JPO;	
	3.0	//Wontigel fiber# ween bro-livery and	DERWENT	2004/02/10
-	32	<pre>(("optical fiber" near breaking) and pulling) and heat\$4</pre>	USPAT; US-PGPUB;	2004/03/10
		parring, and neacys	EPO; JPO;	10.33
			DERWENT	
-	2825	camera and inspection and 700/	USPAT;	2004/05/27
		<del>-</del>	US-PGPUB;	14:42
			EPO; JPO;	
1			DERWENT	0004/05/00
-	1172	•	USPAT;	2004/05/28
		position and orientation and image	US-PGPUB; EPO; JPO;	09:48
			DERWENT	1
_	4	((camera and inspection and 700/) and	USPAT;	2004/05/27
	•	position and orientation and image) and	US-PGPUB;	14:48
		"locating features"	EPO; JPO;	
			DERWENT	
-	1048	((camera and inspection and 700/) and	USPAT;	2004/05/27
]		position and orientation and image) and	US-PGPUB;	15:30
1		features	EPO; JPO; DERWENT	
_	477	(((camera and inspection and 700/) and	USPAT;	2004/05/27
	]	position and orientation and image) and	US-PGPUB;	15:30
		features) and two-dimensional	EPO; JPO;	
1		·	DERWENT	1
-	255	((((camera and inspection and 700/) and	USPAT;	2004/05/27
		position and orientation and image) and	US-PGPUB;	15:31
		features) and two-dimensional) and	EPO; JPO;	
_	1	calculating (((((camera and inspection and 700/) and	DERWENT USPAT;	2004/05/27
		position and orientation and image) and	US-PGPUB;	17:21
		features) and two-dimensional) and	EPO; JPO;	
		calculating) and "frame ladder"	DERWENT	
-	215	((((camera and inspection and 700/) and	USPAT;	2004/05/27
		position and orientation and image) and	US-PGPUB;	17:22
		features) and two-dimensional) and assembled	EPO; JPO; DERWENT	
_	1	assembled   (((((camera and inspection and 700/) and	USPAT;	2004/05/27
		position and orientation and image) and	US-PGPUB;	17:30
		features) and two-dimensional) and	EPO; JPO;	
		assembled) and 700/117	DERWENT	
-	0	(((((camera and inspection and 700/) and	USPAT;	2004/05/27
		position and orientation and image) and	US-PGPUB;	17:30
		features) and two-dimensional) and	EPO; JPO;	
_	4	assembled) and 700/114 (((((camera and inspection and 700/) and	DERWENT USPAT;	2004/05/27
		position and orientation and image) and	US-PGPUB;	17:36
		features) and two-dimensional) and	EPO; JPO;	
		assembled) and 700/110	DERWENT	
-	5	(((((camera and inspection and 700/) and	USPAT;	2004/05/27
		position and orientation and image) and	US-PGPUB;	17:37
		features) and two-dimensional) and	EPO; JPO;	
_	30	assembled) and "inspection camera" ((camera and inspection and 700/) and	DERWENT USPAT;	2004/05/27
-	30	position and orientation and image) and	USPAT; US-PGPUB;	17:44
		"inspection camera"	EPO; JPO;	
			DERWENT	
_	1		USPAT	2004/05/27
				17:39
-	1		USPAT	2004/05/27
L				17:39

				•
-	1		USPAT	2004/05/27
-	1		USPAT	17:39   2004/05/27
_	1		USPAT	17:39   2004/05/27
_	1		USPAT	17:39   2004/05/27
_	1		USPAT	17:40   2004/05/27
_	1		USPAT	17:40   2004/05/27
_	1		USPAT	17:41   2004/05/27
_	1		USPAT	17:41   2004/05/27
_	1		USPAT	17:41   2004/05/27
_	1		USPAT	17:41   2004/05/27
_	1		USPAT	17:41   2004/05/27
_	1		USPAT	17:42 2004/05/27
-	1		USPAT	17:42   2004/05/27
_	1		USPAT	17:42 2004/05/27
_	1		USPAT	17:42 2004/05/27
-	1		USPAT	17:43   2004/05/27
_	1		USPAT	17:43   2004/05/27
_	1		USPAT	17:43   2004/05/27
_	1		USPAT	17:43   2004/05/27   17:44
_	1		USPAT	2004/05/27
_	2	700/117 and "inspection camera"	USPAT; US-PGPUB;	2004/06/01
			EPO; JPO; DERWENT	
-	3	700/110 and "inspection camera"	USPAT; US-PGPUB;	2004/05/27
			EPO; JPO; DERWENT	
-	0	700/114 and "inspection camera"	USPAT; US-PGPUB;	2004/05/27
			EPO; JPO; DERWENT	
-	192	700/114	USPAT; US-PGPUB;	2004/05/27 17:46
			EPO; JPO; DERWENT	
-	47	700/114 and camera	USPAT; US-PGPUB;	2004/05/28 09:46
			EPO; JPO; DERWENT	
-	27	"4360274"	USPAT; US-PGPUB;	2004/05/28 09:46
			EPO; JPO; DERWENT	
-	1172	(camera and inspection and 700/) and position and orientation and image	USPAT; US-PGPUB;	2004/05/28 09:48
			EPO; JPO; DERWENT	0004/05/55
_	644	((camera and inspection and 700/) and position and orientation and image) and	USPAT; US-PGPUB;	2004/05/28 09:48
		monitor and screen	EPO; JPO; DERWENT	

				0004/05/00
-	210		USPAT;	2004/05/28
		position and orientation and image) and	US-PGPUB;	09:49
İ		monitor and screen) and "relative	EPO; JPO;	
		position"	DERWENT	
_	210	((((camera and inspection and 700/) and	USPAT;	2004/05/28
	"	position and orientation and image) and	US-PGPUB;	10:50
		monitor and screen) and "relative	EPO; JPO;	
		position") and orientation	DERWENT	
<b>-</b>	176	((((camera and inspection and 700/) and	USPAT;	2004/05/28
		position and orientation and image) and	US-PGPUB;	11:10
1		monitor and screen) and "relative	EPO; JPO;	
		position") and orientation) and display	DERWENT	]
1		and error		
l <u>-</u>	1	((camera and inspection and 700/) and	USPAT;	2004/05/28
	1	position and orientation and image) and	US-PGPUB;	10:58
		"frame rail"	EPO; JPO;	;
		Transcraft	DERWENT	
_	84	((((((camera and inspection and 700/) and	USPAT;	2004/05/28
-	1 04	position and orientation and image) and	US-PGPUB;	11:10
		monitor and screen) and "relative	EPO; JPO;	
			DERWENT .	:
!		position") and orientation) and display	DEVMENT.	1
		and error) and printer	<u> </u>	